




## 2024 OTR Engineered Solutions B2B Portal User Guide

Find OTR Engineered Solutions B2B Portal by entering [www.otrb2b.com](http://www.otrb2b.com) into your web browser. You may also access the B2B portal directly from our corporate website, [www.otrwheel.com](http://www.otrwheel.com). On PC, hover your cursor over **sign in** on the top right of the webpage. Select B2B Portal from the drop-down menu. A new webpage will open in your browser.



On mobile, select the navigation icon, aka the hamburger button, on the top right. From the menu, select B2B Portal. A new webpage will open in your browser.

From the homepage on our B2B site, select **sign in**. New users must register to create an account on the right-hand side of the screen. Follow the below steps to complete registration. Anything with a red asterisk is a required field.



The screenshot shows the OTR registration page. On the left is the 'Sign In' section with a 'Sign in to continue' button, email and password fields, a 'Remember me?' checkbox, and a 'SIGN IN' button. On the right is the 'Register' section with a 'Create a new account' button, email and password fields, first and last name fields, and an authorization code field. A red circle highlights the 'Register' header. Red numbers 1 through 5 are placed next to the registration fields: 1 next to the email field, 2 next to the password field, 3 next to the first name field, 3 next to the last name field, 4 next to the authorization code field, and 5 next to the 'REVIEW TERMS & CONDITIONS' button, which is also circled in red.

1. Enter your email address. You may not register the same email address more than once.
2. Create a password that is at least 7 characters long.
3. Enter first name/last name.
4. Enter your company's unique authorization code.

*Each company has one authorization code, but each company may create as many user accounts as needed. If you do not know your company's unique authorization code, please reach out to our Portal Support team or Customer Care department. They can be reached by email at [portalsupport@otrwheel.com](mailto:portalsupport@otrwheel.com) and [customercare@otrwheel.com](mailto:customercare@otrwheel.com) or by phone at **1-800-833-6309**. Please be prepared to provide your company's account number and/or company name.*

5. You must read and agree to OTR's terms and conditions in order to complete registration. Select the **review terms & conditions** button and a pop up will appear. Read and scroll all the way to the bottom of the document. The **continue to agree** button will turn red and become usable once you have reached the end of our terms and conditions. Select **continue to agree** to be returned to the registration page. Finally, check the box that you have read and agree to the terms and conditions.

## AGREE TO TERMS



### OTR WHEEL ENGINEERING, INC. STANDARD TERMS AND CONDITIONS OF SALE USA

The following are the terms and conditions ("T&C") under which OTR Wheel Engineering, Inc. sell Products and Services in the United States.

#### 1. DEFINITIONS

"Buyer" means the corporate body of the purchaser, which shall include the principal of Buyer if Buyer is acting on behalf of another entity, purchasing Products and/or Services from Supplier, as well as its successors and assigns.

"Supplier" means OTR Wheel Engineering, Inc., a Georgia corporation, as well as its successors and assigns.

"Party/Parties" means either Buyer or Supplier, or both together, depending upon the context.

"Contract" or "Contract Documents" means only those documents expressly made part of these T&Cs by the Parties, which include Supplier's quotation, these T&Cs (including the Mechanical Warranty Exhibit), Buyer's purchase order ("P.O."), Supplier's order acknowledgment, and any other mutually agreed attachments, and excludes any other terms and conditions or documents, whether pre-printed on P.O. form or otherwise. All P.O.s are subject to Supplier's written acceptance. All Contract changes must be agreed to in writing by both Parties. Any Supplier quotation is subject to, and shall be binding upon, Supplier only if, and to the extent, (i) Supplier receives a P.O. based on Supplier's quotation and (ii) Supplier accepts such P.O. in writing. In case of any contradictions between the Contract Documents, the terms and conditions of these T&Cs shall prevail.

"Product" means tires, wheels, assemblies, tubes, tracks, ballasts, and accessories as expressly agreed to be supplied by Supplier to Buyer under this Contract.

"Services" means designing, manufacturing, assembling, and other services as expressly agreed to be rendered by Supplier to Buyer under this Contract.

[Continue to Agree](#)

6. Select **register** to submit.

**Sign In**

Email \*

Password \*

Remember me?

**SIGN IN**

[Forgot your password?](#)

**Register**

Email \*

Password \*

First Name \*

Last Name \*

Authorization Code ⓘ \*

I have read and agree to OTR's terms and conditions

**REGISTER**

6

**Already Registered?**


Simply, **sign in** on the left-hand side of the page, with your already registered email address and password.

**Forgot your Password?**


Select the link and follow the prompts to restore access.

**Let's Get Started**

Welcome! Your account has been created. On the homepage, you can select **account** from the tool bar to learn more about your account details.



On the left-hand side of the page, you can edit details about your account such as contact information, change your password, and access history. On the right, you can see activity and notifications like sales orders and invoices.



### Want to Browse for Product?

Use our product menu in the tool bar to search through our catalog. You can also use the search field to look for sizes, product SKUs, and brands.

OTR Engineered Solutions

Welcome Joe (sign out) Shopping Lists Account Cart (10) Checkout  
Request A Quote | Ph. 1-800-833-6309

Search by Part Name or Part Number

PRODUCTS SERVICES OEMS MINING RESOURCES COMPANY

Assemblies  
Rubber Tracks  
**Tires**  
Tubes  
Wheels

Assemblies  
Rubber Tracks  
**Tires**  
Tubes  
Wheels

Agriculture  
Construction  
Golf  
**Lawn & Garden**  
Material Handling  
Powersports

**ASSEMBLIES**

Construction Golf

**NEED ASSISTANCE?**  
We are here to help.  
Call 1-800-833-6309

Select a product to learn more, like the sizes were manufacture, descriptions, load, OD, PSI and many other details!

OTR Engineered Solutions

Welcome Joe (sign out) Shopping Lists Account Cart (10) Checkout  
Request A Quote | Ph. 1-800-833-6309

Search by Part Name or Part Number

PRODUCTS SERVICES OEMS MINING RESOURCES COMPANY

Assemblies  
Rubber Tracks  
Tires  
Tubes  
Wheels

**TX-90**

TX-90 is a non-directional, multi-purpose tire designed specifically for telehandlers. Features include a flat profile with center angled tread blocks, deep shoulder lugs, and reinforced side-walls delivering exceptional stability, traction and long-life, whether operating on hard, soft or muddy surfaces.

ITEM #	DESCRIPTION	LOAD	MARKET	OD	PR	PSI	RIM	SW	TYPE
T1931215528P	15.5-28	19,800@5MPH	Construction	47.87	12	58	28X12	15.8	TX-90
T19314140024	14.00-24	15200@5MPH	Construction	52.46	14	73	24X9	14.24	TX-90
T1931617525	17.5-25	17,100@5MPH	Construction	51.43	16	75	25X14	18.05	TX-90
T1932017525	17.5-25	17,100@5MPH	Construction	51.43	20	83	25X14	18.05	TX-90

**NEED ASSISTANCE?**  
We are here to help.  
Call 1-800-833-6309

Select an item to see price and availability. Each product will display the quantity in stock (if applicable) for each our aftermarket warehouses. Please note, not all items are stocked in all warehouses.

Enter the amount of an item you are interested in purchasing or use the +/- to change the quantity. Select **buy**, when ready to add to your cart.

**Categories**

- Assemblies
- Rubber Tracks
- Tires
- Tubes
- Wheels

**TX-90**



Click to view a larger image

TX-90 is a non-directional, multi-purpose tire designed specifically for telehandlers. Features include a flat profile with center angled tread blocks, deep shoulder lugs, and reinforced side-walls delivering exceptional stability, traction and long-life, whether operating on hard, soft or muddy surfaces.

**NEED ASSISTANCE?**

We are here to help.  
Call 1-800-833-6309

Option	Warehouse	Inventory	Unit	Purchase
17.5-25/16PR OTR TX-90 - 26 T1931617525	940 Eastport Rd Jacksonville, Florida, 32218	Out of Stock	\$ /EA	- 1 + Buy
17.5-25/16PR OTR TX-90 - TX01 T1931617525	701 W Risinger Rd Fort Worth, Texas, 76140	28 In stock	\$ /EA	- 1 + Buy
17.5-25/16PR OTR TX-90 - NE02 T1931617525	4350 McKinley Street Omaha, Nebraska, 68112	7 In stock	\$ /EA	- 1 + Buy
17.5-25/16PR OTR TX-90 - 58 T1931617525	195 Chatillon Rd Rome, Georgia, 30161	14 In stock	\$ /EA	- 1 + Buy
17.5-25/16PR OTR TX-90 - CO01 T1931617525	4675 Holly Street, Unit B Denver, Colorado	5 In stock	\$ /EA	- 1 + Buy

**Out of Stock?**

We can allow order(s) placed in our portal for out-of-stock items. We have a few services that require items to be built to order, like tire/wheel assemblies in our foam fill line or tire lined items. We do our best to keep all items at stocked levels, if you find an item unavailable, please call/email and we will do our best to provide an estimated restock date.

**Ready to Make a Purchase?**

Please review your cart by selecting **cart** in the top tool bar. Cart view will show you a breakdown of the items selected from each location. In the cart menu, you can delete items by selecting **delete** and update quantities by selecting the **-** or **+** icons and then selecting **update**.



Each line item will display a total weight per quantity ordered. In the below example, there are four T24350423105012, for a total weight of 72.44 lbs. 72.44 lbs. divided by four, equals 18.11 lbs. per tire.

A total cart weight for each location will be displayed.

Select **proceed to checkout** when ready. If you have selected items from different warehouses, you will have to complete a checkout for each location. Don't worry, the checkout process is the same for all warehouses.

Product Quick-Add <sup>⊕</sup>


Warehouse 58: 195 Chatillon Rd, Rome, Georgia, 30161

Item	Weight	Quantity	Price	Total
 <b>23X10.50-12/4PR 350 MAG - 58</b> <i>p/n:</i> T24350423105012;58 23X10.50-12 459 In stock	72.44	- 4 + <input type="button" value="Update"/> <input type="button" value="Delete"/>	\$	\$
 <b>25X10.00-12/6 350 MAG OFF ROAD - 58</b> <i>p/n:</i> T24350625100012;58 25X10.00-12 1468 In stock	80.04	- 3 + <input type="button" value="Update"/> <input type="button" value="Delete"/>	\$	\$

**Total: \$**

**Total Weight: 152.48**

Warehouse TX01: 701 W Risinger Rd, Fort Worth, Texas, 76140

Item	Weight	Quantity	Price	Total
 <b>29X12.50-15/8PR TRACTION MASTER - TX01</b> <i>p/n:</i> T13082912515;TX01 29X12.5-15 92 In stock	68.00	- 1 + <input type="button" value="Update"/> <input type="button" value="Delete"/>	\$	\$

**Total: \$**

**Total Weight: 68.00**

### Enter your Billing/ Shipping Information

Enter your billing information in the indicated fields. Anything with a red asterisk is a required field. Address line 1 is a google search bar, please make your selection from the choices that begin to populate. Check the box if you shipping address is the same as you entered in the billing section. If different, fill in all the required shipping fields. Please note, you have the option to save the billing and shipping address to your address book for future shipments. Select **save** and **continue** when ready to move to the next screen.



**Customer Information**

Customer Name TEST  
Contact Name Joe Tire  
Email text.orders@otrwheel.com

**Cart Summary** [edit](#)

Subtotal:	\$
Shipping:	--
Tax:	--
Discount:	--
Total:	\$

**Billing Address**

Recipient \*

Attention

Address Line 1

Address Line 2

City \*

State/Province

Country \*

Postal Code \*

Phone Number

Save to my address book

**Account Summary** [edit](#)

**CUSTOMER**

TEST  
Joe Tire  
text.orders@otrwheel.com

**Shipping Address**

Ship to the Billing address

### Acknowledge our Shipping Policy

We are not able to calculate freight at the time of purchase. We apologize for any inconvenience this causes. Please read the statement and then check the box to acknowledge that you have read, understood, and agreed to our freight policy.

Please indicate in the shipping instruction section if you require specific services for your FedEx ground or LTL delivery. The following services will incur additional fees for delivery: address is residential, guaranteed delivery date, inside delivery, cannot accept palletized goods, have limited access for delivery, require a lift gate, need to be notified (called) in advance.

If you are applicable for freight and/or additional delivery fees, our team will be in touch.

### Choose your shipping method

- By checking this box, Buyer acknowledges that unless
- i. Buyer is picking up the Product from Seller's warehouse,
  - ii. Buyer has instructed Seller to ship the Product using Buyer's third-party carrier "bill to" address or
  - iii. Buyer has instructed Seller to use Buyer's account number with Buyer's chosen carrier,
- then Buyer will be charged for shipping on the Seller's invoice.

### Additional Information

Purchase Order # \*

Shipping Instructions \*

### Payment Details

### Cart Summary [edit](#)

Subtotal:	\$349.70
Tax:	--
Discount:	--
Total:	<b>\$349.70</b>

### Account Summary [edit](#)

CUSTOMER

BILLING/SHIPPING ADDRESS

## Payment Options

Customers that have net status with our company, will have the option to select it as a payment method. We do not currently accept credit card payments through the portal. Select **submit order** to complete the transaction. You will receive an email confirmation with your order details.

### Payment Details

Credit Card

Cardholder Name

Card Number

Security Code

Expiration

**SUBMIT ORDER**

NET 30